

# Table of contents

|                                                                                                          |    |
|----------------------------------------------------------------------------------------------------------|----|
| Foreword                                                                                                 | i  |
| Glossary of acronyms and abbreviations                                                                   | vi |
| 1. The state-of-the-art in FEM-based approaches for the design of FRC Structures                         | 1  |
| 1.1 Introduction                                                                                         | 1  |
| 1.2 Chapter 2 on Models for Material Scale                                                               | 3  |
| 1.3 Chapter 3 on FEM- and member-based approaches for the analysis and design of FRC                     | 3  |
| 1.4 Chapter 4 – Numerical Models for simulating the loading rate-dependent behaviour of FRC structures   | 4  |
| 1.5 Chapter 5 - Strategies for assessing the values of the relevant parameters of design-oriented models | 5  |
| 1.6 Chapter 6 - Structural analysis of FRC structures: blind predictions and applications                | 5  |
| 2. Models for Material Scale                                                                             | 8  |
| 2.1 Introduction                                                                                         | 8  |
| 2.2. Modelling of fracture and fibre bridging effect                                                     | 8  |
| 2.2.1 Modelling methodologies                                                                            | 8  |
| 2.2.2 Cohesive/fictitious crack model                                                                    | 9  |
| 2.2.3 Crack band model                                                                                   | 11 |
| 2.2.4 Modelling based on multiscale approach                                                             | 12 |
| 2.2.5 Shear and mixed-mode                                                                               | 22 |
| 2.2.6 Compression                                                                                        | 26 |
| 2.2.7 Bi-phase type models                                                                               | 28 |
| 2.2.8 The Lattice Discrete Particle Model (LDPM)                                                         | 30 |
| 2.2.9 Probabilistic numerical model of cracking process of fibre reinforced concrete structures          | 35 |
| 2.3 Models of creep, cyclic and fatigue behaviour                                                        | 38 |
| 2.3.1 Creep                                                                                              | 38 |
| 2.3.2 Cyclic behaviour and fatigue                                                                       | 41 |
| 2.3.3 Behaviour at high loading rates                                                                    | 45 |
| 2.4 Durability related models                                                                            | 45 |

|                                                                                                  |     |
|--------------------------------------------------------------------------------------------------|-----|
| 2.5 Evaluation of fibre dispersion state in fibre-reinforced cement-based composites (FRCCs)     | 47  |
| 2.5.1 Fibre orientation – effective factors – classification of materials                        | 47  |
| 2.5.2 Mathematical description of fibre orientation by using analytical and experimental methods | 48  |
| 2.5.3 Models of fresh FRC mix flow                                                               | 52  |
| 3. FEM- and member-based approaches for the analysis and design of FRC structures                | 72  |
| 3.1 Introduction                                                                                 | 72  |
| 3.2. Crack models: similarities and differences from a conceptual viewpoint and extension to FRC | 73  |
| 3.2.1 Approaches for modelling cracking process in cement-based materials                        | 73  |
| 3.2.2. The cohesive crack model                                                                  | 74  |
| 3.2.3 Crack band models and smeared cracks                                                       | 76  |
| 3.2.4 Embedding a crack in a uniaxial finite element                                             | 76  |
| 3.3 Smeared crack and damage plasticity models                                                   | 78  |
| 3.3.1 General concepts                                                                           | 78  |
| 3.3.2 Modelling the fracture propagation                                                         | 80  |
| 3.3.3 Relevant aspects of the formulations and discussion                                        | 88  |
| 3.4 Discrete approaches for modelling the process of cracking                                    | 95  |
| 3.4.1 Available approaches for fracture                                                          | 95  |
| 3.4.2 Interface crack elements - Multilevel model for fibre reinforced concrete                  | 98  |
| 3.4.3 Finite elements with embedded discontinuities to simulate fibre reinforced concrete        | 102 |
| 3.5 Mesh objectivity                                                                             | 105 |
| 3.6 Analysis at serviceability limit state conditions                                            | 108 |
| 3.6.1 Introduction                                                                               | 108 |
| 3.6.2 Crack width estimation for smeared crack models                                            | 109 |
| 3.6.3 Structural deflection and stress level in reinforcements                                   | 110 |
| 3.7 Analysis at ultimate limit state conditions                                                  | 112 |
| 3.7.1 Load carrying capacity, deformation performance and failure modes                          | 112 |
| 3.8 Design methodology                                                                           | 114 |
| 3.8.1 Introduction                                                                               | 114 |
| 3.8.2 Global resistance methods for material nonlinear finite element analysis                   | 114 |
| 3.8.3 Application example                                                                        | 116 |

|       |                                                                                          |     |
|-------|------------------------------------------------------------------------------------------|-----|
| 3.9.  | Models at cross section level for member design                                          | 118 |
| 3.9.1 | Introduction                                                                             | 118 |
| 3.9.2 | FRC elements failing in bending                                                          | 118 |
| 3.9.3 | FRC elements failing in shear                                                            | 121 |
|       | Nomenclature                                                                             | 123 |
|       | Annex A3.1 – Mesh objectivity                                                            | 139 |
| 4.    | Numerical models for simulating the loading rate-dependent behaviour of FRC structures   | 142 |
| 4.1   | Introduction                                                                             | 142 |
| 4.2   | Benefits of fibre addition: experimental evidence                                        | 143 |
| 4.2.1 | Strain rate effect observed in single fibre pull-out tests                               | 143 |
| 4.2.2 | Strain rate effect observed in dynamic bending tests                                     | 144 |
| 4.2.3 | Strain rate effect observed in dynamic tensile tests                                     | 145 |
| 4.2.4 | Strain rate effect observed under explosive loading                                      | 146 |
| 4.3   | Models on strain rate effects of fibre-matrix bond mechanisms                            | 147 |
| 4.3.1 | Rate-independent formulation                                                             | 147 |
| 4.3.2 | Rate-effect model                                                                        | 148 |
| 4.3.3 | Rate-dependent friction model                                                            | 148 |
| 4.3.4 | Other rate-effect models                                                                 | 151 |
| 4.4   | Rate-dependent models based on the Implicit Fibre Reinforcement Approach (IFRA)          | 151 |
| 4.4.1 | Riedel-Hiermaier-Thoma model                                                             | 152 |
| 4.4.2 | Other material models implemented in commercial software                                 | 158 |
| 4.4.3 | A meshfree approach endorsed with cohesive theories of fracture                          | 158 |
| 4.5   | Rate-dependent models based on the Explicit Fibre Reinforcement Approach (EFRA)          | 159 |
| 4.5.1 | Models implemented in conventional finite element methods                                | 159 |
| 4.5.2 | Particle models with explicit fibres and accounting for strain-rate effects              | 160 |
| 4.6   | Conclusions and recommendations for model application                                    | 164 |
|       | Nomenclature                                                                             | 165 |
| 5.    | Strategies for assessing the values of the relevant parameters of design-oriented models | 174 |
| 5.1.  | Introduction                                                                             | 174 |
| 5.2.  | Fibre pull-out constitutive laws                                                         | 174 |
| 5.2.1 | Experimental assessment                                                                  | 174 |
| 5.2.2 | Inverse analysis                                                                         | 177 |

|                                                                                             |     |
|---------------------------------------------------------------------------------------------|-----|
| 5.3 Evaluation of fracture parameters                                                       | 177 |
| 5.3.1 Crack opening process                                                                 | 177 |
| 5.3.2 Crack sliding process                                                                 | 197 |
| 5.4 Tools for evaluating fibre dispersion state in fibre-reinforced cement-based composites | 200 |
| 5.4.1 Destructive methods                                                                   | 200 |
| 5.4.2 Non-destructive methods                                                               | 202 |
| 5.5 Concluding remarks                                                                      | 204 |
| 6. Structural analysis of FRC structures: blind predictions and applications                | 213 |
| 6.1 Introduction                                                                            | 213 |
| 6.2 Blind simulation competitions (BSCs)                                                    | 214 |
| 6.2.1 Context                                                                               | 214 |
| 6.2.2 1 <sup>st</sup> BSC – R/SFRC beams failing in shear                                   | 214 |
| 6.2.3 2 <sup>nd</sup> BSC – Continuous shallow R/SFRC beams failing in bending              | 219 |
| 6.3 Analysis of a precast SFRC tunnel segment up to failure                                 | 223 |
| 6.3.1 Context                                                                               | 223 |
| 6.3.2 Characterisation of the material and SFRC properties                                  | 224 |
| 6.3.3 Experimental results of a tunnel lining segment flexural test                         | 226 |
| 6.3.4 Numerical results from the discrete Multi-Level FRC model                             | 227 |
| 6.3.5 Numerical results with a smeared crack model                                          | 229 |
| 6.3.6 Mesh objectivity analysis for the discrete Multi-Level FRC model                      | 231 |
| 6.3.7 Comparison with simplified stress-crack opening laws from <i>fib</i> Model Code 2010  | 233 |
| 6.4 Prestressed grandstand reinforced with synthetic macro fibres                           | 235 |
| 6.4.1 Context                                                                               | 235 |
| 6.4.2 Fibre reinforced concrete mixture                                                     | 236 |
| 6.4.3 Relevant aspects of the design approach and model parameters                          | 236 |
| 6.5 Elevated steel fibre reinforced concrete (E-SFRC) slabs                                 | 240 |
| 6.5.1 Context                                                                               | 240 |
| 6.5.2 Modelling and design aspects                                                          | 241 |
| 6.5.3 Relevant results and analysis                                                         | 244 |
| 6.5.4 Mesh study                                                                            | 250 |
| Annex 6A.1 – Determination of $\sigma^{FRC}(w)$ for SCM                                     | 255 |
| Annex 6A.2 – Determination of $\sigma^{FRC}(w)$ for SCM                                     | 257 |
| Annex 6A.3 – Determination of $\sigma^{FRC}(w)$ for the discrete Multi-Level FRC Model      | 259 |